

DECLARATION OF PERFORMANCE

No. 002_ITALGRANITI

1. *Unique identification code of the product type :*
Type, batch or serial number or any other element allowing identification of the product
Dry-pressed ceramic tiles, with water absorption $0,5 < E_b \leq 3 \%$

2. *Intended use(s)*

For internal and external walls and internal floorings.

3. *Name or registered trade mark, and contact address of the manufacturer*

ITALGRANITI GROUP SPA

Via Radici in Piano, 355 – 41043 Casinalbo di Formigine (MO) – Italy

Tel. 0039 059 888411 Fax 0039 059 848808 P. iva e CF 03294200369

info@italgranitigroup.com www.italgranitigroup.com

4. *System(s) of assessment and verification of constancy of performance (AVCP)*

System 4

5. *Name and identification number of notified laboratory, if relevant: N.A.*

Task(s) carried out: N.A.

AVCP system: N.A.

Document issued and date of issue: N.A.

6. *Declared performances:*

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1+A1 _n	EN 14411:2012
Release of dangerous substance, for		
- Cadmium	NPD	
- Lead	NPD	
Breaking strength	> 1100 N	
Slipperiness, as:	See table attached	
Tactility	NPD	
Bond strength/adhesion, for Cementitious adhesive, type C2	$\geq 1 \text{ N/mm}^2$	
Thermal shock resistance	Pass	
Durability for:		
- internal use	Pass	
- external use: freeze-thaw resistance	Pass	

The performance of the product identified in point 1 is in conformity with the declared performances in point 6.
 This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3.
 Signed for and on behalf of the manufacturer by:

Name and function
 Ing. Marco Bonazzi
 Technical Manager


ITALGRANITI GROUP S.p.A.
 Via Radici in Piano, 355
 41043 CASINALBO DI FORMIGINE (MO)
 C.F./P. IVA 03294200369

Place and date of issue

Casinalbo, 2013-07-01

Allegato alla Dichiarazione di Prestazione
Attachment to Declaration of Performance
Anhang der Leistungserklärung
Annexe à la Déclaration de Performance
Anexo a la Declaración de Performance
No. 002_ITALGRANITI



Tabella - Scivolosità (dove richiesto dalla legislazione)
Table - Slipperiness (where required by regulation)
Tabelle - Rutschfestigkeit (soweit durch Rechtsverordnung erforderlich)
Tableau – Glissement (si requis par la réglementation)
Tabla – Deslizamiento (donde sea requerido por ley)

Rev.0 del /of/vom/de/de 01/07/2013

MARCHIO / BRAND / MARQUE / MARKE / MARCA

IMPRONTA CERAMICHE

Serie / Series /Kollektion / Série / Serie	Superficie / Surface finishes / Oberflächen / Surfaces / Superficies	DIN 51130 (DE)	BCRA D.M. 236/1989 (IT)	Documento basico SU 3/2006 (ES)
BIANCO/NERO	NATURALE	NPD	> 0,40	NPD
ECCLETTICA	NATURALE	NPD	> 0,40	NPD
LE RABLE	NATURALE	NPD	NPD	NPD
E_MOTION	NATURALE	NPD	NPD	NPD
BLISS	NATURALE	NPD	NPD	NPD
I MARMI D'IMPRONTA	NATURALE	NPD	> 0,40	NPD
CALACATTA	NATURALE	NPD	NPD	NPD



**MARCATURA CE
CE MARKING
CE-KENNZEICHNUNG
MARQUAGE CE
MARCADO CE**

CE

ITALGRANITI GROUP SpA

Via Radici in Piano, 355 – 41043 Casinalbo di Formigine (MO) - Italy

05

002_ITALGRANITI

EN 14411:2012

Dry-pressed ceramic tiles, with water absorption
 $0,5\% < E_b \leq 3\%$, for internal and external walls and
internal floorings