

SEDE

Via Martelli, 26 - 40138 Bologna  
Tel. (051) 534015 - Fax. (051) 530085

**CERTI.CER.**

LABORATORIO DI ZONA

Via Valle d'Aosta, 1 - 41049 Sassuolo  
Tel. e Fax. (0536) 802154

Part. IVA 0094778-0375

Bologna 28/02/05

Spett.

GOLD ART/CMC S.p.A.

Via Giardini Nord 231/233

41026 PAVULLO NEL FRIGNANO (MO)

## TEST LABORATORY

### TEST REPORT N° 2868/05

concerning ceramic tiles according to EN 14411 (ISO 13006)

Requested by:	GOLD ART/CMC S.p.A. Via Giardini Nord 231/233 41026 PAVULLO NEL FRIGNANO (MO)
On (date):	23/02/05
For the sample marked:	GRES PORCELLANATO DI PRODUZIONE ENERGIE KER/GOLD ART

The results reported relate only to the samples tested.

No responsibility is taken for the accuracy of the sampling unless it is done under our supervision.

The reproduction of this test report is only authorized in the form of a complete photographic facsimile. Our written approval is necessary for any partial reproduction.

This test report consists of 3 pages this cover included.



Consorzio universitario per la gestione del  
«Centro di ricerca e sperimentazione per  
l'industria ceramica».

D.P.R. 10-4-1978 n. 806  
(G.U. 20-12-1978 n. 353)

Laboratorio autorizzato ad effettuare il  
servizio di rilevamento dell'inquinamento  
atmosferico.

Decreto MINISTERO SANITÀ 10-8-1974  
(G.U. 14-9-1974 n. 240)

Laboratorio iscritto nell'albo dei «Laboratori Esterni  
Pubblici e Privati Altamente Qualificati».

Decreto MINISTERO RICERCA SCIENTIFICA 6-6-1983  
(G.U. 6-7-1983 n. 183)

Membro ASTM

American Society for  
Testing and Materials.

Description of the sample:	
GRES PORCELLANATO DI PRODUZIONE ENERGIE KER/GOLD ART	
Manufacturer: GOLD ART/CMC S.p.A.	
Sampling details:	
- Where:	-----
- Date:	-----
- By whom:	CUSTOMER
- How (methods):	-----
DATE OF RECEIVAL IN LABORATORY: 23/02/05	

## TESTS PERFORMED:

		Date of starting	Date of ending
<input checked="" type="checkbox"/>	DIN 51130 Determination of the anti - slip properties – (06/2004) Workrooms and fields of activities with raised slip danger, walking method – ramp test	25/02/05	25/02/05


**DIN 51130 (06/2004)- Determination of the anti - slip properties –  
Workrooms and fields of activities with raised slip danger, walking  
method – ramp test**

Surface characteristics

- Smooth
- Profiled
- Structured
- Rough

**OPERATIVE CONDITIONS**

Fixing scheme



**RESULTS**

Average total acceptance angle:  
Movement area (cm<sup>3</sup>/dm<sup>2</sup>):

25°
-----

**CLASSIFICATION (BGR 181- 10/2003)**

Group of anti - slip properties:  
Movement area evaluation group:

R11
-----

Prof. Carlo Panigari  
Director

CENTRO CERAMICO BOLOGNA  
Cassa Sperimentazione per l'Industria Ceramica